



# 2025 CRITERIA THE OUTSTANDING BUILDING OF THE YEAR (TOBY) AWARDS





EARTH CATEGORY


# **PROGRAM, CATEGORY, AND COMPETITION INFORMATION**

# **STARTING THE PROCESS**

Now it's even easier to ensure your building achieves the ultimate success. Effective 2023, the TOBY Awards are only given to properties carrying a BOMA 360 distinction (starting at the Regional level) — the most comprehensive and holistic evaluation of operational and management practices. Now you have two opportunities to highlight overall excellence for community impact, emergency preparedness, sustainability, health and wellness, and additional performance metrics for both commercial and industrial buildings.

Before entering the TOBY competition, applying for the BOMA 360 designation serves as the first step in ensuring your building has achieved the minimum level of operational best practices. A new universal recognition platform has been created to simplify the process to help shape high-performance buildings by providing an opportunity to educate property management professionals, reinforce team-building relationships, and increase asset value and tenant retention on a global basis.

The BOMA 360 and TOBY applications have been consolidated into BOMA International's new 360/TOBY portal where applicants will have access to both applications all in one place. Applicants will have an opportunity to see areas where they can improve before entering the TOBY competition and have a stronger application.



# **CATEGORY DESCRIPTION – EARTH**

All Office buildings where the building ownership and building management team preserve and enhance the internal and external environment through green and sustainable programs.

Office buildings present a significant impact on the environment and the many convergent communities inside and outside the space. This award is given to those office buildings that best demonstrate successful application of a wide range of environmental sustainability and ESG (Environmental, Social, and Corporate Governance) practices and policies that identify, measure, mitigate and, communicate these impacts.

# **ELIGIBILITY REQUIREMENTS**

Below outlines the requirements for TOBY participation:

- 1. All buildings competing at the regional level must have an active BOMA 360-designation through June 29, 2025.
- 2. The building must win at the local level to advance to the regional level and must win at the regional level to advance to International.
- 3. All portfolios must have undergone a building inspection and scored at least 70% to be eligible to compete. Each entrant must upload the completed and signed TOBY Building Inspection Verification form to be eligible to compete at the Regional and International level (this form is provided by your local BOMA association or International Affiliate organization).
- 4. The building must be a member, or managed by an entity that is a member, in good standing with both their BOMA local association and BOMA International in order to compete at the local, regional and international levels. Specifically, all membership fees, and any other debt, must be paid prior to entry.
- 5. The building may not have won in the same category at the international level during the last 5 years (i.e. Buildings that win in 2025 are not eligible to compete until 2030 and awarded in 2031). The building may not have won in a different category at the international level during the last 3 years (i.e. Buildings that win in 2025 are not eligible to compete until 2028 and awarded in 2029).
- 6. The building must be occupied for at least one full year from the date of occupancy of the first tenant by June 15, 2024 with a minimum of 12 months of building operations.
- 7. At least 50% of a buildings' space must be used as office space to be considered.
- 8. Each building may enter in only one category.
- 9. All Entrants are required to provide the following:
  - A. Provide a copy of the Statement of Energy Performance generated from ENERGYSTAR® in the past 12 months. This is a mandatory requirement at the Regional and International levels and omitting this step or uploading an alternate document may result in disqualification. The property does not have to be EnergyStar rated, but must submit a copy of report (including Life Science and Mixed-Use) with verifying engineer's stamp if score is 75 or above to receive representative score.

1310 L Test		ERFORMANCE
Publing ID: 201072 For 12 month Particl En Date SEP becomes inel	ding: April 30, 2012 <sup>4</sup> gible: N.A.	Date SEP Generated: July 12, 2012
Facili NA C 30005	ty Owner	Primary Contact for this Facility Not
2 *** (PM): 153,300		
namer Rating <sup>11</sup> (1-100) 73		
ie Burtmaryt Protoseckiltu) tujit Buij	11,158,218 1,221,546 12,376,762	
uity* *( h(tyr)	80 251	
ased on site energy use) Ses Emissions (MCO,aryear)	1,048	Stamp of Castilying Professional
hadion Utility In: Power Co (Papes Holdings Inc)		Based on the conditions observed at the tone of my wait to this building. I partly that
Ran Comparison an Soe EU In Source EU Run National Median Source EU Run National Median Source EU	104 924 -275 0818	the information contained active this systement is accurate.
try Standards <sup>4</sup> for Indoor Environm	and a	Certifying Professional N.R.
or Acceptable Indicor Air Quality Thermal Environmental Conditions amonton	NA NA NA	
India's Colored to calculate the state of a structure of the state of the state of the structure integration of the state of the state of the state structure of the state of the state of the state of the state of the state of the state of the state of the state of	alle d'he frank findig fan he alle d'he frank findig fan he alle d'he frank findig fan he	er i d'har (1963) d'had a saf har all agonad a saonadhan bha gan ta na Dallair shao. Shi kanaga umlai, an 1986 agong taobad to lythy pada.
	n panàna miri	en de la company de la company.

 B. TOBY Inspection Verification Form (Provided by your BOMA Local, required at the Regional level).
 \*MUST BE SIGNED BY A LOCAL JUDGE

and given	
angi taga ta	
reas: Inspected (U) heres are required for alighting to compute #	
	No Alt Constants
maria. Anno Long	
scurtly/UR Tarlety	
integerant Office	
Busilian .	
Late Transmit Contraine	
and the second se	
airweite	
ptol Terem Sulle	
and factinghaming title	
ulament Assemplancia rises	
idence of Concastor Drift conducted within part 24 months	
-	
sting builtine grade only if Denselligent Constant	
entranging Drunds	
fue ferries and untiling that it was	
mant Anardha	
wette Veteraria Veral	
If the up/bourselation of Davier's Operating Providing minute or protect	
guist Francis Insurfactorium (Inform	
others fully a	
n one of the judges for the local BOMA TORY Agents Program, Trans In new of the budging site using BOMA transactions? "The Subsecting B	garind factors inflated utility of the Text' program
	under Frankreichen Industrie Anfreige des Nacht angegen
none of the judges for the local BOAN TOP Associal Pagewy, Haw Is awar at the fulding star any BOAN transmission?" The Subsecting H alge's Name Johann John Alge's Symmum.	general for data to billions under other test - program Toper manufic property
none of the judges for the local BOAN TOP Associal Pagewy, Haw Is awar at the fulding star any BOAN transmission?" The Subsecting H alge's Name Johann John Alge's Symmum.	
une of the judges for the local ICON 1207 Associal Pagewy, Insue 1 was at the building size using ICON commutation?s "The Subsecting S dge's Same juliese pitch) dge's Same juliese pitch)	View results (PDI)
une of the judges for the local ICON 1207 Associal Pagewy, Insue 1 was at the building size using ICON commutation?s "The Subsecting S dge's Same juliese pitch) dge's Same juliese pitch)	View results (PDI)
none of the judges for the local BOAN TOP Associal Pagewy, Haw Is awar at the fulding star any BOAN transmission?" The Subsecting H alge's Name Johann John Alge's Symmum.	View results (PDI)

- Any entry that does not include both a and b will not be eligible to compete at the Regional or International level.
- It is no longer a requirement to share your EnergyStar data with BOMA International, but you do need to have your Statement of Energy Performance signed and stamped by an engineer to receive points if the score is greater than 75, otherwise your entry will receive the baseline score of 3.
- An entrant may choose to enter multiple buildings as a single entry only if the buildings are owned by the same company, managed by the same company, and the buildings are managed as a single entity and not within a suburban office park. All entries must disclose whether their entry is a single building or multiple buildings under the Building Operations and Management section.
- 10. All buildings competing at the Regional level must be BOMA 360 designated. The BOMA 360 must extend through June 29<sup>th</sup> of the year of competition.
- 11. An Entrant may choose to enter multiple buildings as a single entry only if the buildings are owned by the same company, managed by the same company and the buildings are managed as a single entity and not within a suburban office park. All Entrants must disclose whether their entry is a single building or multiple buildings under the Building Information section.
- 12. For any building that enters the competition at the local and regional level that may encounter a change in management and/or ownership and wins at the International level, the award will be presented to the management company/owner at the time of the original entry.

#### Additional Requirements for Non-U.S. Entries:

- **Canadian Entrants** are required to obtain a BOMA BEST® Sustainable Buildings certification. Each entrant must provide a copy of the certificate or letter from BOMA Canada attesting certification is valid in the competition year.
- **Other International Entrants** should contact BOMA International regarding any questions on energy performance benchmarking requirements.

# MANDATORY ON-SITE BUILDING INSPECTION

In-person building inspections must take place at the local level of competition to ensure the entry meets the eligibility requirements and is registered in the correct category. A minimum score of 70% must be earned to be eligible to compete for a TOBY.

## The following mandatory items must be inspected during the building inspection:

- 1. Building Environment IAQ Performance
- 7. Stairwells
   8. Typical Tenant Suite
- 2. Energy Performance/Energy Management System Monitoring
- 3. Refuse/Recycling Programs
- 4. Water Performance/Water Management
- 5. Common Corridors
- 6. Restrooms

- 51
- 9. Landscaping/Site Management
- 10. Submetering
- 11. Occupant Communication/Education Visibility
- 12. Green Cleaning

The following documentation is mandatory where applicable and should be made available. On-line versions are acceptable but must be available at time of inspection at the property being inspected. Ease of navigation is essential to ensure that judges can easily and readily review:

- 1. Preventive Maintenance Manual
- 2. Standard Operating Procedure (SOP) Manual/Documentation of Standard Operating Procedures (online or printed)
- 3. Environmental Purchasing Policies

Entrants should receive TOBY Building Inspection Verification form by their local BOMA or affiliated International affiliate organization. Any entry without an Inspection Verification form with their Regional submission will be disqualified.

# **ENTRY FEES**

## TOBY Local Entry Fees

A local competition fee may be applicable. Each Entrant should check with their local association concerning fees.

## BOMA 360 Performance Building Program Fee

BOMA 360 designation is required at the Regional and International levels of the TOBY Awards competition and must be valid through June of the year in which they are competing (06/29/25 for 2025).

Initial application and renewal of BOMA 360 is **\$995.00** for members and must be renewed every three years.

## **Regional and International TOBY Entry Fees**

A total of \$450 USD in entry fees will be paid to BOMA International for each submission entering the TOBY regional competition. These fees will be collected once the entry has been completed and the "Submit" button has been pressed. No additional fees are collected for the International competition.

**NOTE:** All entries must be submitted, and fees received prior to your region's submission deadline to compete. Fees are non-refundable. Regional deadlines will be posted on <u>https://recognition.boma.org</u>.

# JUDGING / DATA / DEADLINES

- 1. Judging will occur at local, regional, and International levels.
- 2. Fees are non-refundable, due at time of entry. Entry is automatically disqualified for noncompliance.
- 3. EnergyStar data:

Country	ENERGY STAR® Statement of Energy Performance	BOMA BEST Certificate or Official Letter
All Entrants	$\checkmark$	
US Entrants	$\checkmark$	
Canadian Entrants	$\checkmark$	$\checkmark$

- 4. Each BOMA local association may submit one building in each category to the regional competition.
- 5. Each BOMA region may submit one building in each category to the International competition.
- 6. Each regional competition must close no later than March 31st.
- 7. Each region must submit their regional winners to BOMA International by April 15th.
- 8. Judging at the International level will occur in April and May and the TOBY Awards will be presented during the BOMA International Conference held in June or July.
- 9. Updated Entry Requirements will be presented during or prior to the BOMA International Conference.
- 10. BOMA International's 360/TOBY Portal at <u>https://recognition.boma.org</u> will begin accepting entries for each new season approximately one month after the close of the BOMA International Conference. Check the 360/TOBY Portal for specific dates.

# **UNIVERSAL PORTFOLIO REQUIREMENTS**

#### Photograph Requirements

- File Type: Hi-Resolution JPEG compressed
- Maximum File Size: 2 MB
- Do not use photograph collages (Only single images)

#### Supporting Document Requirements

- File Type: PDF, DOC, DOCX, RTF, TXT
- Maximum File Size: 5 MB

#### **Descriptive/Summary Text Requirements**

• Maximum word count is specified for each section

#### NOTE:

- Descriptive/summary text must be entered in the text box provided and may not be submitted as an uploaded file.
- Identify what an acronym represents at least once in each document.
- Text within required supporting documents does not count against character limits.

#### RECOMMENDATION

Text should be created in Word, or another similar program, and then copied and pasted into the text box. Please spell check prior to pasting it into the text box. Also, confirm that the copied text can be fully viewed online. If not, reduce the characters to fit the requirements.

# **PORTFOLIO SPECIFICATIONS**

The following information must be provided electronically using BOMA International's 360/TOBY Portal at <u>https://recognition.boma.org</u> to be considered for both the regional and International competitions. Strict adherence to the portfolio specifications listed herein is **required**.

Local entries must check with your BOMA local association for local submission requirements.

**NOTE:** Each section is limited to a specified amount of words. All entrants are encouraged to save and review their entries before submitting to ensure that all text/content is captured in the entry.

SUBMISSION REQUIREMENTS	
SECTION	POINTS
BUILDING INFORMATION	2
Building Details:	
Enter the following information in the portal section: Number of floors in the building BOMA Certified Total Building Area Square Footage BOMA Certified Office Rentable Area Square Footage Other Certified Rentable Area Square Footage (where applicable) such as lab space, retail space, other mixed or multi-use areas). Year Constructed or Open	
<ul> <li>0.1 Describe the following:</li> <li>Building Description: Provide a summary of the physical description of the building(s), property, and location.</li> <li>Maximum of 350 words</li> </ul>	
<b>0.2 Executive Summary (2 Points)</b> Provide an overall summary of the property's (building, office park, etc.) overarching policy for environmental, sustainability, energy efficiency, wellness, etc. Describe the policies and philosophy of the property's ownership and management relating to this subject including benchmarking and direct environmental impact. Include if the project was built with this philosophy in mind or if it was implemented after construction and why this concept is important. Include examples of documented changes from inception of the policy that support ESG initiatives.	
Maximum of 600 words	
<ul> <li>0.3 Attach the following:</li> <li>0.3.a - Organization chart for staff with qualifications</li> </ul>	
<ul> <li>0.3.b - Copy of any certifications and/or awards that have been achieved.</li> <li>0.3.c - TOBY Inspection Verification (provided by your local BOMA Association)</li> </ul>	

0.4	4 Pr	ovide the following photographs of your building(s):	
	•	0.4.a - 2 Exterior with one showing surrounding grounds and one showing the entire building. 0.4.b - 1 Interior (lobby and hallways) 0.4.c - 1 Standard tenant area	
	•	0.4.e - 1 Central plant or main mechanical room (chiller, fire pump or boiler room) 0.4.e - 2 Additional photographs, the subject matter of which is the entrant's choice	
0.	5 Pr	ovide the following Awards Ceremony Photographs:	
	•	<ul> <li>0.5.a - In addition to the competition photos, all regional and International entrants must upload one high-resolution (minimum 300 dpi, 1,500 pixels wide or larger) color JPEG (JPG) of the <b>building's exterior</b> for display at the awards ceremonies.</li> <li>0.5.b - Also, a photograph (JPEG) of the <b>management team (minimum 300 dpi, 750 pixels wide or larger)</b> responsible for daily management of the building(s) is required.</li> </ul>	
Тс	otal	of 1 <mark>1 attach</mark> ments required – 1 optional – TOTAL 12 attachments	
		TION 1: CLIMATE CHANGE & ENVIRONMENTAL RISK IAGEMENT	20
De	scr	ibe the following:	
1.	1 - C a. b. c.	to the building and site in the face of climate change? If so, please describe. (EXAMPLE: changes in long-term weather patterns; changes in the frequency of extreme weather events and natural hazards; rising sea levels; increased desertification, etc.) Describe tools used to measure and monitor greenhouse gas emissions or carbon impacts. Describe the building's current carbon management plan and carbon reduction targets. (Example: purchase renewable credits or carbon offsets, etc.)	
	d.	Describe the building's climate change resilience plan and how it proposes the building will adapt to expected future risks, including measures and design features to	
	e.	address potential consequences of long-term climate change. (Example: extreme weather events, water scarcity, increase in ambient temperature, etc.) Describe measures to enhance, restore and protect the local ecosystem from climate change risks, biodiversity loss, habitat degradation, or pollution. (Examples: exterior site maintenance policy, façade cleaning, landscape management, urban heat island effect, erosion and sedimentation control; irrigation monitoring, stormwater management, light pollution reduction, etc.)	
1.:		Environmental Risk Assessment & Management	
	a.	Describe environmental risk assessments completed to understand issues of environmental concern affecting the property?	
	b. c.	How frequently are they conducted? Describe the most recent audit – when was it completed, by whom, what parameters were assessed, and the findings?	
	d.	Does the report confirm that the property is in compliance with regulatory requirements?	

e.	Describe environmental management plans and procedures in place to address these	
f.	environmental concerns? Please describe at least 3 concerns. Describe emergency response plans to protect against natural, technological, human- induced, or other hazards? ( <i>Examples: pandemic preparedness, disaster recovery,</i>	
	crisis management, training and drills, fire protection, testing, maintenance,	
g.	awareness, notification protocols, etc.) Describe the training program for Operations and Maintenance staff.	
9.	beschibe the training program for operations and Maintenance stan.	
	n <b>ovation</b> Describe any innovations in this area such as carbon neutrality plans, "net zero" plans, etc.	
Maxim	um of 1,750 words	
1.4 Att	ach the following:	
a.	Climate Change Risk Assessment	
	E <mark>nvi</mark> ronmental Risk Assessment (i.e. Hazardous Building Materials Survey, Phase I	
C.	E <mark>nv</mark> ironmental Site Assessment, etc.) E <mark>nv</mark> ironmental Management Plan (i.e. one of the following: Asbestos Management	
	Plan, Storage Tank Management Plan, Mold Management Plan, etc.)	
d. e.	C <mark>lim</mark> ate Cha <mark>ng</mark> e Resilience Plan (optional) Emergency Response Plan (optional)	
f.	Carbon Management Plan (optional)	
g.	Documentation of any measures to enhance natural environment (optional)	
NOTE:	Do not include entire manuals. Include only the table of contents, a summary of the	
	I a <mark>nd</mark> ho <mark>w i</mark> t's <mark>im</mark> plemented.	
Total o	of 2 attachments required – up to 7 attachments allowed	
SEC	TION 2: INDOOR ENVIRONMENTAL QUALITY	15
2.1 De	scribe the following:	
a.	Describe measures that have been taken for lighting and visual comfort. (Examples:	
	lighting audits; illu <mark>mi</mark> nan <mark>ce</mark> meterin <mark>g; d</mark> aylight harvestin <mark>g; t</mark> ask l <mark>igh</mark> ting; zone <mark>d l</mark> ighting;	
h	occupancy sensors; glare reduction, etc.) Describe the most recent Indoor Air Quality (IAQ) assessment report and how it was	
D.	utilized to make improvements.	
C.	Describe the policies and procedures in place at the building that enhance indoor	
	thermal comfort and indoor air quality. (Examples: IAQ issues reporting and how issues are addressed; IAQ assessments; IAQ audits; IAQ monitoring; tobacco smoke	
	control; measures to ensure effective ventilation; HVAC filtration; contamination	~
d	source protection, etc.) Describe occupant indoor environmental comfort surveys conducted to evaluate	
d.	satisfaction levels with air quality, acoustics, thermal comfort, lighting and visual	
	comfort etc.? Include the most recent survey conducted – when was it completed,	
e.	tenant response rate, what questions were included, and the findings? Has an assessment of background sound levels been conducted for the building? If	
0.	so, describe the most recent audit conducted – when was it completed, by whom, and	
	what were the findings?	
f.	Are any measures in place to minimize strong smells? ( <i>Examples: scent-free building policy; use of negative pressurization; self-closing doors, or interstitial rooms, etc.</i> )	
g.	Describe the integrated pest management program in place.	

	h.	Describe ways that you educate, engage or collaborate with tenants to support their indoor environmental comfort.	
2.2	2 Inn	ovation:	
		Describe any innovative equipment or procedures used to enhance the indoor environmental comfort for your occupants such as: sound-masking equipment; sound- absorbing materials; hydronic radiant heating or cooling; electric radiant heating, etc. <i>um of 1,750 words</i>	
		ach the following:	
Та	a. b. c. d. e. f.	Indoor Air Quality Policy and Annual Assessment Tenant IAQ Request Logs (one-year tracking) including key performance indicators Most recent Indoor Air Quality Monitoring report from the past 24 months Occupant indoor environmental comfort survey from past 24 months Scent-free policy (or equivalent) (optional) Awards or certifications related to indoor air quality (i.e. RESET Air Certification, etc.) (optional)	
S	EC.	TION 3: GREEN CLEANING	15
		be the following:	
	a. b. c. d. e. 2 Co a.	<ul> <li>Describe how often the policy is reviewed and updated. Include the checks and balances used to ensure policy is followed.</li> <li>Describe the steps taken to ensure use of green products and cleaning chemicals by both in-house staff and contractors/vendors.</li> <li>Describe the use of environmentally preferred products, maintenance of cleaning equipment and effective cleaning procedures in place for cleaning activities.</li> <li>Describe how cleaning logs are maintained and what is included.</li> <li>Describe low-impact cleaning procedures in place.</li> </ul>	
	3 Gre a. b. 4 Cle	certification (e.g., EcoLogo, Green Seal, US EPA Safer Choice, GREENGUARD, Forest Stewardship council etc.) 50% or higher is preferred Describe what percentage of cleaning devices and equipment carry a third-party certification from the Carpet and Rug Institute or meet California Air Resources Board or the ISSA Cleaning Industry Management Standard for sound levels or less than 70dBa	
		communicated to the stakeholders. Include confirmation that products are being used appropriately and that cleanliness goals and objectives for each space are being met.	

3.5 Innovation	
a. Describe any innovative equipment or supplies used onsite, such as the following:	
HEPA filters for vacuum cleaners, devices that use ionized or electrolyzed water, third-	
party certified or ultraviolet cleaning devices.	
Maximum of 1,500 words	
3.6 Attach the following:	
a. Green Cleaning Policy	
b. Annual Cleaning Audit	
c. Sample Tenant Communication	
Total of 3 attachments required	
SECTION 4: WASTE MANAGEMENT	10
While waste reduction and diversion initiatives provide an opportunity for building managers to	
reduce operational costs, it is also an area that can inspire the most engagement from	
occupants, further supporting the building's sustainability objectives.	
Describe the following	
Describe the following:	
44 Palising Plane & Programs	
4.1 Policies, Plans & Programs	
a. Include the building's waste reduction and diversion commitments.	
b. b. Describe the building's Solid Waste Management Program including strategies for	
source separation, collecting, handling, and storing all waste streams, as well as	
specialty diversion initiatives (e.g., reuse initiatives, e-waste, etc.)	
c. c. Describe the construction waste reduction program including objectives and types	
of materials targeted.	
4.2 Data Collection & Analysis	
a. Provide the building's waste audit performed in the last three (3) years and completed	
by a competent professional.	
b. Provide the building's Diversion AND Capture Rate as calculated in the most recent	(
waste audit.	
c. Describe the type of data (e.g., volume, weight) collected from waste contractors as	
part of regular collection services.	
d. Describe the analysis conducted to identify year-over-year waste reduction trends.	
<ul> <li>Describe the analysis conducted to identify year-over-year waste reduction iterids.</li> <li>Describe waste performance tracked in Energy Star using the waste and materials</li> </ul>	
tool.	
4.3 Communication & Training	>
a. Describe how the results of the waste audit are shared with occupants.	~
b. Describe the communication and training strategies in place to support the Waste	
Reduction and Diversion Policy, including type and frequency of tenant and staff	
engagement activities and staff/tenant training on proper use of waste infrastructure.	
c. Describe the staff and contractor training and communication strategies in place to	
ensure adherence to the construction waste reduction program.	
d. Describe how compliance is monitored and tracked.	
4.4 Innovation	
a. Describe the building's zero waste targets for ongoing operations or special events.	
Maximum of 1,750 words	

4.5 Attach the following:	
<ul> <li>a. Waste Reduction and Diversion Policy</li> <li>b. Solid Waste Management Program</li> <li>c. Waste Audit (performed in the last 3 years) showing the diversion and capture rates</li> <li>d. Waste report from Energy Star portfolio manager</li> <li>e. Sample tenant communication (optional)</li> <li>f. Construction waste strategy (optional)</li> </ul> Total of 4 attachments required – up to 6 attachments allowed	
SECTION 5: PURCHASING & INTERIOR FINISH	10
<ul> <li>Describe the following:</li> <li>5.1 Policies, Plans &amp; Programs (6 of 10 Points) <ul> <li>a. Attach the Environmental Purchasing Policy and provide details such as how purchases are completed and quantified on 3 of the 5 following requirements: <ul> <li>i. Office Supplies: At least 50% of office supplies should carry a third-party certification from Forest Stewardship Council; or contain at least 10% postconsumer material; or at least 20% pre-consumer material; or at least 50% rapidly renewable materials; or use only rechargeable batteries.</li> <li>ii. Furnishings: Selection should be based on the following considerations: longevity, repairability, re-configurability, ability to be returned to the manufacturer at the end of its life.</li> <li>iii. Operations and maintenance products: Describe percentage of products used for building operations and maintenance that carry a third-party certification from EcoLogo, Green Seal or GREENGUARD</li> <li>iv. Materials and interior finishes:</li> <li>Describe procedures for construction materials and interior finishes for tenant and base building construction.</li> <li>Describe procedures for construction materials and interior finishes.</li> <li>Describe procedures for construction materials and interior finishes for tenant and base building construction.</li> <li>Describe procentage that carry a third-party certification from Green Seal, Green Guard, EcoLogo, Cradle to Cradle, ENERGY STAR, WaterSense, Forest Stewardship Council, Sustainable Foresty Initiative, or the Canadian Standards Association's Sustainable Forest Management Standard, etc.</li> <li>V. HVAC equipment: Describe percentage that is high-efficiency and meets ASHRAE 90.1, ENERGY STAR or WaterSense standards.</li> </ul> </li> <li>5.2 Engagement &amp; Training (3 of 10 Points) <ul> <li>Describe how the Environmental Purchasing Policy is shared with building staff, and contractors.</li> <li>Describe how the Environmental Purchasing Policy supports circular economy principles.</li> </ul> </li> <li>5.3 I</li></ul></li></ul>	
5.4 Attach the following:	
a. Environmental Purchasing Policy with preferred/required list of products	

b. Samples of recent purchases based on the environmental purchasing program	
c. Tenant Design Criteria manual or Green Lease	
d. Sample tenant communication (optional)	
e. Evidence of staff training (optional)	
Total of 3 attachments required – up to 5 attachments allowed	
SECTION 6: ENERGY & WATER	21
<b>IMPORTANT:</b> All Entrants from all countries (where applicable) are required to utilize the ENERGY STAR® Portfolio Manager to measure their current rating in ENERGY STAR® and	ł
provide the Statement of Energy Performance report generated within the last 12 months fro	
ENERGY STAR® (stamped by a verifying engineer IF THE SCORE IS 75 OR GREATER.to	
receive representative points)	
Canadian Entrants must also provide the BOMA BEST certificate or letter. Any entran	t
that does not complete this step will not be eligible to compete at the Regional or	
International Level.	
If the SE <mark>P is</mark> n <mark>ot</mark> signed and stamped, entrant will only receive 3 points.	
6.1 Benchmarking & Performance Scoring (6 Points)	
Entrants will be seered based on their ENERCY STAR SER seere generate within the la	t
Entrants will be scored based on their ENERGY STAR SEP score generate within the la 12 months:	้อเ
• Score < 75: 3 Points	
Score 75-84: 4 Points	
<ul> <li>Score 85-90: 5 Points</li> </ul>	
Score >90: 6 Points	
*For multiple buildings, use weightage average based on square footage	
<b>NOTE:</b> Verifying engineer's signature and stamp is required for scores 75 or greater SEP's	
without stamps will receive 3 points regardless of score shown on SEP.	
Describe the following:	
6.2 Provide a brief description of the following: (2 Points)	
a. A list of areas for which energy consumption data is available (i.e. all tenants, some	
tenants, interior comment exterior common) and the type of energy used, (i.e.	
electricity, natural gas, other). b. Percentage of occupied gross leasable area for which you have energy consumptio	n
data (either through sub-metering or by other means). The data must represent	
consumption from the most recent 12-month period and must not be any older than	
the past 18 months.	
c. Describe how current energy consumption is being compared with consumption from	n
past years and provide conclusions drawn from the analysis over a minimum of 1	
year.	
6.3 Energy and Water Management Plan (2 Points)	
a. Describe the most recent building-wide Energy and Water Audit (include the date of	
completion and immediate actions taken based on the results).	
<ul> <li>Provide an outline of energy and water conservation measures planned for implementation in the next 3 years.</li> </ul>	
c. Describe building operations and maintenance procedures and how they contribute	to
energy and water conservation (e.g. preventative maintenance programs; equipmer	
and system performance monitoring; water leak inspections; etc.)	

## 6.4 Energy and Water Consumption Monitoring (1 Point)

- a. Describe tools used to monitor monthly consumption (e.g. spreadsheets, portals, monitoring programs with third parties, etc.)
- b. Describe any energy or water submetering in place.
- c. Compare current energy and water usage with past consumption and any reductions achieved.
- d. Describe the buildings' current energy and water reduction target(s).

## 6.5 Education/Training (1 Point)

- a. Describe energy and water conservation training programs for building operations and management staff in the last 2 years.
- b. Describe energy and water conservation training programs for tenants in the last 2 years.

# 6.6 Energy-Efficient Features (1 Point)

- a. Describe the type of lighting installed throughout the building.
- b. Describe any high-efficiency building equipment.
- c. Describe energy-efficient control strategies used on the BAS.

# 6.7 Water-Efficient Features (1 Point)

- a. Describe washroom fixture standards and note what percentage of fixtures are low flow. Include flush and flow rates.
- b. Describe any water-efficient features of the irrigation system.
- c. Describe programs to reduce the use of potable water (e.g. use of native/droughttolerant plant species, capturing rainwater and re-using for irrigation or plumbing; etc.).
- d. Describe cooling tower water management program.

# 6.8 Water Quality Program (2 Points)

- a. Describe water quality testing program (frequency, parameters tested for, etc.)
- b. b. Describe any water treatment programs or water quality filtration systems (e.g. reverse osmosis systems, activated carbon filters, kinetic degradation fluxion filters, sedimentation filters, ultraviolet sanitation, etc.)

## 6.9 Innovative Technologies or Programs (3 Points)

a. Describe any innovative technologies or programs in place that go above and beyond the industry standard to improve energy and/or water performance. Include measurable results, if available. (Examples include: onsite renewable energy generation; real-time monitoring; demand response reduction programs; district energy systems; deep lake water cooling; heat/energy recovery systems; energy harvesting battery; ice storage system for load shedding; data analytics platforms; building-wide sensors connected to artificial intelligence platforms; etc.)

# Maximum of 1,750 words

## 6.10 Attach the following:

- a. Energy and Water Management Plan
- b. Most recent Energy and Water Audit Report
- c. Most recent Statement of Energy Performance and/or Official Letter from EPA or Energy Star Certificate of Achievements from ENERGY STAR® (2 Points)
- d. BOMA BEST Certificate or letter from BOMA Canada attesting certification (required for Canadian entries)
- e. Energy Star Certification (optional)
- f. Documentation relating to the innovative technology/program (optional)

SEC	TION 7: STAKEHOLDER ENGAGEMENT	10
Note:	A Stakeholder is any person of interest or concern in the property, so this includes the rd, Property Management Team, Tenants, Vendors, and the Community.	
Descr	ibe the following:	
7.1 ES	G (Environmental, Social, Governance)	
a.	Describe the property-level ESG program or policy in place and how it is	
	implemented. i. If no ESG program, describe what programs management has in place at	
	their property to align themselves with standard ESG best practices.	
	ii. Describe training or resources in place to educate the stakeholders on the	
	policy/best practices such as webinars, company training, ownership	
	guidelines, etc.	
7.2 W		
а.	Describe policies management has implemented to create healthy work environments	
	fo <mark>r employees</mark> and tenants and to promote sustainable communities.	
b.		
	such as rest areas, access to outdoor spaces, drinking water provisions, walking trails, fitness areas, immunization clinics, access to farmers markets, shared gardens,	
	etc.	
C.	c. Describe how stakeholders are actively engaged, such as with mental health	
	webinars, yoga workshops, etc.	
d.	Describe building features that address the health and wellbeing of the stakeholders such as daylight levels, lighting controls, glare controls, user comfort controls,	
	smoking policy, acoustic conditions, etc.	
e.	Describe available methods of alternate transportation such as trolleys, bus stops,	
	carpool programs, bike racks, bike rentals, etc.	
f.	Describe programs in place for management company employees that support wellness.	
g.	Describe programs implemented since the outbreak of COVID-19 which you will keep	
9.	in place to reduce contagious disease transmissions. Examples include hand hygiene	
	standards, heath promotion signage, infectious disease plan response guidelines,	
	contagious disease outbreak preparedness plan, enhanced cleaning, disinfecting and	
	maintenance protocol, PPE Guidelines, etc.	
7.3 Co	mmunity Engagement	
	Describe programs in place to encourage all Stakeholders to have engagement with	
	local communities through building and tenant outreach as well as volunteerism.	
	Examples include charitable contributions, volunteer programs, local causes, heath issues, promotional events, etc. Include how long each program has been in place.	
b.	Describe if the impact can be quantified as additional income for the community or	
	charitable event or has some type of savings associated with the impact.	
7110	novation	
7.4 m a.		
ч.	industry standard for ESG, wellness or community engagement. (Examples include	
	dedicated multi-purpose rooms; subsidized access to fitness; access to crop share;	
	fresh food delivery services; access to restorative gardens; healthy food and	
	beverage vending; subsidized vending, etc.)	

#### Maximum of 1,750 words

#### 7.5 Attach the following:

- a. Sample of Stakeholder Communication
- b. Diversity Policy
- c. One Example of Community Engagement or Wellness Features (e.g., photo or flyer)
- d. ESG Policy (if any) (optional)

Total of 3 attachments required – up to 4 attachments allowed

#### SUBMITTED CONTENT

#### \*\*\*\*\* END OF APPLICATION \*\*\*\*\*

Building Registration Information and the Building Description may be used in Awards Program materials and with the media. Photographs may be used, with attribution, in Awards Program materials, with the media and in other BOMA International materials. All other content may be used by BOMA International in the creation of new industry materials. BOMA International will not include identifying information, such as building name, owner, etc., in these materials without the entrant's consent.

#### Building Owners and Managers Association (BOMA) International

The Building Owners and Managers Association (BOMA) International is a federation of 87 BOMA U.S. associations and 18 BOMA International affiliates. Founded in 1907, BOMA represents the owners and managers of all commercial property types including nearly 10 billion square feet of U.S. office space that supports 3.7 million jobs and contributes \$205 billion to the U.S. GDP. Its mission is to advance the interests of the entire commercial real estate industry through advocacy, education, research, standards and information. Find BOMA online at www.boma.org.

BOMA International • 1101 15th Street, NW, Suite 800 • Washington, DC 20005 • 202-326-6300 • https://recognition.boma.org



For information, questions, clarifications or if you require additional assistance, please email recongition@boma.org.



